CONTROLLED DOCUMENT

Title:SERAPH-1 EXPLORATION WELL ENVIRONMENT PLAN BRIDGING DOCUMENT SUMMARY

Controlled Reference Number: DC0000AH7510189

Revision: 0

Confidentiality Classification: 1. UNRESTRICTED

Review Date: Refer to document content

Approval Setup Details

Role:	Person(s):
Author	Zheng, Eldric
Concurrence	Serginson, Chris C.
Custodian	Grubba, Tim T.
Approver	Robb, Doug D.

Approval Outcome Details

Approval Outcome:	Date:
Prepared by: Zheng, Eldric	21/07/2011 2:40:59 PM
Concurred by: Serginson, Chris C.,	21/07/2011 3:09:39 PM
Custodian by: Grubba, Tim T.	22/07/2011 7:27:48 AM
Approved by: Robb, Doug D.	22/07/2011 11:10:15 AM

Wet Signatures (Only if required for External Purposes)

Zheng, Eldric	
Serginson, Chris C.,	
Grubba, Tim T.	
Robb, Doug D.	

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

TABLE OF CONTENTS

1.	INTRODUCTION	2
2.	DESCRIPTION OF THE ACTION	2
3.	DESCRIPTION OF THE RECEIVING ENVIRONMENT	4
3.1	Physical Environment	4
3.2	Biological Environment	4
3.3	Socio-Economic Environment	5
4.	ENVIRONMENTAL HAZARDS	5
5.	SUMMARY OF MANAGEMENT APPROACH	5
6.	CONSULTATION	9
7.	CONTACT DETAILS	9
	LIST OF FIGURES	
Eiguro 1	: Drilling Location Map for Seraph-1 Exploration Well	2
rigule i	. Drilling Location Map for Seraph-1 Exploration Well	3
	LIST OF TABLES	
	Co-ordinates, Water Depth and Timing (GDA 94, MGA zone 50)	

1. INTRODUCTION

Woodside Energy Ltd (Woodside) proposes to undertake drilling activities on the North West Shelf (NWS) in the license area WA-3-L, using semi-submersible drill rig 'Nan Hai VI', operated by Maersk Drilling Australia. Drilling activities are planned to commence in August 2011 and to continue through until September 2011.

The well is part of the exploration drilling activities on the NWS. The environmental risks and management thereof are described in the NWS Drilling and Completion Environment Plan, Revision 5 (NWS EP), approved by the Department of Mines and Petroleum (DMP) in August 2009. This document – Seraph-1 Exploration Well Environment Plan Bridging Document - serves as a bridging Environment Plan to the NWS EP, and describes the well specific details such as well location, rig to be used, fluid systems, cuttings volumes and cuttings disposal methods.

2. DESCRIPTION OF THE ACTION


The Seraph-1 exploration well is situated in permit area WA-3-L (Figure 1) and is located approximately 140 km from Karratha, 152 km from Montebello Marine Conservation Reserve and 188 km from Barrow Island.

The well will be drilled with a water based drilling fluid system, as detailed in the Seraph-1 Exploration Well Environment Plan Bridging Document, approved by the DMP in July 2011. On completion of drilling and evaluation logs, the well will be permanently plugged and abandoned and the subsea wellheads removed.

Table 1 summarises the well details including surface coordinates, water depth, permit area and timing for the proposed well. This schedule is subject to change due to operational requirements and external influences such as cyclones.

Table 1: Co-ordinates, Water Depth and Timing (GDA 94, MGA zone 50).

Water Depth (m LAT)	Longitude	Latitude	Permit Area	Timing
82	116° 37' 48.390" E	19° 28' 21.922" S	WA-3-L	Q3 2011



3. DESCRIPTION OF THE RECEIVING ENVIRONMENT

3.1 Physical Environment

The water depth on the continental shelf of the NWS area ranges between 50 and 1,500 m, although most of the area lies between 50 and 500 m water depth. Two significant banks are present on the gently inclined shelf, the Rankin Bank and the Glomar Shoal. The seabed is generally characterised by deep (>5 m) soft, silty sediments which become softer and finer with increasing depth.

General wind patterns in the region are monsoonal, with a marked seasonal pattern. Wind direction is predominantly from the south-east and north-east during April to September with an average wind speed of 5 – 6 knots. During October to March the prevailing wind direction is from the south-west, west and north-west and the average wind speeds are less than 10 knots. Tropical cyclones occur in the area, typically three to four times per year, most commonly between December and April. Swells of up to 2 m can be expected year round, with April being the calmest month, and January and June the roughest. Wave direction predominantly follows wind direction (east southeast in winter, west south-west in summer), except during cyclone or storm conditions.

3.2 Biological Environment

Sampling of the benthic zone has consistently shown that the soft sediments of the NWS support a low abundance, high diversity invertebrate fauna population, largely comprising burrowing polychaete worms (Phylum Annelida) and crustaceans (Phylum Crustacea). Echinoderms, bivalves and molluscs also contribute significantly to the faunal composition of the area.

Five species of turtle listed under the *Environment Protection and Biodiversity Conservation Act* 1999 (EPBC Act) are known to occur in the region; Flatback, Leathery, Green, Hawksbill and Loggerhead. Individuals of all five species may be expected to pass through the region on their way to and from nesting beaches on the mainland and adjacent islands, however, while at sea the density (concentration) of animals is low.

A number of whale species may be encountered in the region including pygmy blue, sperm and humpback whales. The humpback whale is listed as Vulnerable under the *EPBC Act* and the population migrates across the North West Marine Region (NWMR) during the annual migration. During June, July and early August the whales follow a northward route across the NWMR, that appears to follow the edge of the continental shelf to the calving grounds off the Kimberley Coast. Cow-calf pairings tend to occur in the area from September to October. Research undertaken by the Centre for Whale Research indicates that cow-calf pairings generally remain in close proximity to the shore during the southern migration following a relatively narrow route that passes close to the Dampier Archipelago and Montebello Islands.

Dwarf minke whales and pygmy blue whales have been recorded in open water sites in the Scott Reef region. This indicates that these whales would also be occurring within the broader NWMR. In addition it is likely that sperm, blue and beaked whales may occur in the region at certain times of the year.

Surveys off the NWS indicate that seabird distribution is generally very patchy except near islands where shelter and anomalies in surface water concentrate food seasonally. Most of the birds encountered offshore forage in flocks of 20 to more than 200 individuals, often of different species and are commonly associated with schools of pelagic fish, such as tuna. Foraging groups typically comprise Sooty Terns, Wedge-tailed Shearwaters and the occasional Frigatebird.

3.3 Socio-Economic Environment

The WA-3-L permit area is beyond the range of nearshore fisheries (eg. prawn fisheries) that operate between the North West Cape and Port Hedland. There are no tourism activities within the vicinity of the licence area. There are also no known sites of Aboriginal or Non-Aboriginal cultural or heritage significance within the licence area.

Near the vicinity of the licence area, there are no known existing or proposed marine parks and reserves. There are however sensitive marine environments that occur further away from the licence area. An example of this is the area of coastline extending from Dampier Archipelago to North-West Cape, and associated coasts and islands, including the Montebello Islands and Barrow Island.

4. ENVIRONMENTAL HAZARDS

An overarching environmental risk assessment was conducted for general drilling activities in the NWS EP. The risk assessment process indicated that the potential impacts arising from drilling activities can be categorised as either having a low or medium risk level. There were no impacts identified above a medium risk level.

A number of whale species may be encountered in the region, including pygmy, blue, sperm and humpback whales. To ensure minimal impact on whales in the area, support vessels will maintain a 300 m separation distance, where safe to do so, from any whales sighted, as per Part 8 of the *EPBC Regulations 2000*.

The risk of a major hydrocarbon spill during routine drilling activities is medium. The NWS EP outlines a number of worst case spill scenarios relevant to the drilling activities that may be undertaken. Considering the mitigation measures in place during all activities to prevent spills from occurring, the magnitude of the spill scenarios modelled, distance from offshore sensitive environments (e.g. coral reefs) and the probabilities of hydrocarbons contacting shorelines for expected offshore activities, it can be concluded that a significant hydrocarbon spill to the ocean during Program related activities and impact to sensitive environmental receptors is unlikely.

A series of comprehensive environmental management controls will be maintained by Woodside and the relevant contractors to ensure that no significant environmental effects are realised from the drilling operation. Potential spills will be managed according to the oil spill arrangements and procedures outlined in the approved Western Australia and Dampier Sub-Basin Oil Spill Contingency Plan (ERP-3210).

5. SUMMARY OF MANAGEMENT APPROACH

Woodside's environmental management strategies and procedures to be used during drilling activities include responsibilities, training and inductions, reporting frameworks, mitigation and response activities and monitoring and auditing procedures. Commitments associated with these will be used to reduce environmental risk to As Low As Reasonably Practicable (ALARP).

The key management objectives and commitments to be applied to the Seraph-1 Exploration Well are summarised in Table 2 below. These are consistent with Woodside Corporate objectives, standards and criteria. Note that this is not a comprehensive list of all commitments outlined in the NWS EP.

Table 2. Management Objectives and Commitments for NWS Program Related Activities.

Objectives	Commitments					
Seabed Disturbance						
Minimise disturbance to benthic habitat community	 Adherence to anchoring procedures and anchor plan to minimise the potential for accidental anchor drag or rig dragging off location. 					
	 Transponder clump weights to be retrieved or degradable materials to be used for clump weights not retrieved. 					
Drill Mud a	and Cuttings					
Minimise localised reduction in water quality, smothering of benthic fauna, and decreased light attacked to the proposed turbidity.	Non-toxic to slightly toxic water based fluids used.					
light attenuation due to increased turbidity.	 Procedures for vessel to rig bulk transfers, including visual observations and mud system transfers. 					
Marine Pollution fro	m Routine Discharges					
Minimise potential acute and chronic toxicity effect on marine organisms, effects to water	Waste water discharges to meet legislative requirements.					
quality and indirect effects to marine fauna both in the water column and on the seabed.	All fluids required to complete the activity and are proposed to be discharged to the ocean shall be assessed regarding potential for environmental impact.					
	Non-toxic to slightly toxic cementing fluids and fluorescein dyes used.					
	Deck drainage that is contaminated with hydrocarbons or chemicals will be contained and disposed of onshore or discharged if the Oil in Water content is <15 mg/L.					
Waste Ma	anagement					
Minimise impact on the marine environment from waste disposal.	D&C Waste Management Plan in place, detailing wastes generated and disposal requirements.					
	All sewage and putrescible wastes to be managed and disposed of in accordance with MARPOL 73/78.					
	All solid, liquid and hazardous wastes (other than sewage, grey water and putrescible wastes) will be incinerated (where an approved incinerator is in place) or compacted (if possible) and stored in designated areas and sent ashore for recycling, disposal or treatment at a licensed waste treatment facility.					
	 Waste logs maintained to record waste management practices, including volumes of wastes incinerated. 					
	pecies Management					
Minimise the risk of introduction and establishment of Invasive Marine Species (IMS) in sensitive and shallow water environments.	Adherence to the Australian Quarantine and Inspection Service's (AQIS) Australian Ballast Water Management Requirements.					

Objectives	Commitments				
	IMS Risk Assessments completed and documented, for vessels, rigs and immersible equipment planning to enter and operate within nearshore waters around Australia.				
Disturbance to Marine Fauna					
Noise: Minimise potential physiological effects or disruption to behaviour patterns of marine fauna due to sound energy associated with the rig, support vessel and helicopter operations.	The interaction of the support vessels and helicopters with cetaceans will be consistent with Part 8 of the EPBC Regulations 2000 which requires vessels to maintain a 300 m stand off distance to cetaceans and helicopters shall not operate lower than 1650 ft or within the horizontal radius of 500 m of a known cetacean.				
Recording of Marine Mammals: Add to the data on marine mammals in the North West Shelf area	Sightings of marine mammals will be recorded and reports sent to the Department of Sustainability, Environment, Water, Population and Communities (SEWPaC) periodically.				
Atmospher	ic Emissions				
Minimise atmospheric emissions.	Use of low sulphur fuel, where it is available, to minimise emissions from combustible sources.				
	Compliance with MARPOL 73/78 Annex VI requirements.				
	Non-Routine Discharges				
Minimise potential chronic / acute toxicity effect on marine organisms.	The rig and support vessels will comply with MARPOL 73/78 and have a Shipboard Oil Pollution Emergency Plan (SOPEP) in place for managing spills onboard the rig or vessel.				
	 For spills to the ocean, spill response will be undertaken as per the Woodside WA and Dampier Sub-Basin Oil Spill Contingency Plan (ERP-3210). 				
	Adherence to well integrity standards and blow-out preventer in place.				
	 Adherence to bulk transfer procedures. Fuel transfer hoses to have dry-break couplings and floats 				
	Continuous visual monitoring of hoses, couplings, flow gauges and the sea surface as well as radio contact during transfers on both the support vessels and rigs/vessels.				
	Transfers of fuel only undertaken during daylight hours, except with the WSM's approval, and when sea conditions are appropriate.				
	Fuels, oil and chemicals will be stored with secondary containment.				
Occiona	Spill kits will be well stocked and readily available with personnel trained in their use. Personner Pe				
Minimise the impact on benthic habitats and	Response				
reduced potential occurrence of hydrocarbon	Implement all measures in Woodside's				

Objectives	Commitments				
spills.	Cyclone Response Procedures and the drilling contractor's Cyclone Emergency Response Plan.				
	Secure the well by isolating any significant hydrocarbon zones and disconnecting from the well, preventing communication of any hydrocarbon fluids in the well to the surface.				
Socio-E	Economic				
Minimise potential impact on socio-economic values	Adherence to standard maritime safety procedures (Auscoast Warnings via AMSA where appropriate).				
	Compliance with AMSA administered marine safety regulations and marine notification requirements.				
	Pre-drilling notification/consultation with stakeholders, as required.				
	Notification of activity details as required to relevant stakeholders prior to commencement of each survey.				
	Adherence with Rig Quality and Safety Management procedures.				
Environmental I	Management Plan				
Woodside and contractor personnel understand and comply with the environmental objectives, standards and commitments within the Program EP.	 All Woodside and contractor personnel undertake an environmental induction. Copy of Program EP on board rigs. 				
HSE Management system covers applicable requirements of the Program EP.	Review of contractor HSE management system to ensure it covers applicable requirements of the Program EP.				
Environmental inspections to be carried out according to the requirements of the Program	Environmental Commitments Summary provided to the rig(s).				
EP.	Audits to ensure compliance with commitments in the Program EP are to be undertaken as per the D&C Audit Schedule.				
All environmental incidents are reported in accordance with the requirements of the Program EP, Woodside and legislative requirements.	Environmental incidents recorded and reported according to the requirements of the Program EP, Woodside Standard Event Reporting and Investigation.				
A review of the operation conducted at the end of the program.	Review of the environmental performance of the operation conducted at the end of Program activities.				

6. CONSULTATION

Woodside has an extensive history undertaking drilling and completions activities on the North West Shelf. Over this time, Woodside has developed a sound understanding of potential stakeholder concerns that may arise during drilling activities and has implemented appropriate management strategies in the NWS EP to address key environmental aspects.

To ensure Woodside's understanding of potential stakeholder concerns remains current, stakeholder consultation for drilling activities includes the following:

- Consultation, as appropriate, with key stakeholders during the preparation of the Seraph-1
 Exploration Well Environment Plan Bridging Document to identify and manage specific
 environmental issues.
- Distribution of electronic notification to a broader stakeholder group prior to the commencement of the activity.

7. CONTACT DETAILS

For further information about the Seraph-1 exploration well, please contact:

Tim Grubba
Environment Adviser – Drilling and Completions
(08) 9348 4975
tim.grubba@woodside.com.au

REVIEW STATUS	
(Check one box only)	
	Review on/by (dd/mm/yyyy):
	Review Not Required

DETAILED REVISION INFORMATION					
Revision	evision Description Date Prepared by Approved				
0	Approved for use	22/07/2011	Eldric Zheng	Doug Robb	

DOCUME	DOCUMENT DISTRIBUTION						
Copy No.	Name (Show Username (WOPID) to differentiate between persons with identical names)	Organisation	Hard Copy	Electronic Notification			
00	Document Control	Woodside Energy Ltd		\boxtimes			
01	Jacqui Lutz Senior Environmental Assessor Petroleum Environment Branch Environment Division jacqui.lutz@dmp.wa.gov.au	Department of Mines and Petroleum					